

featuring MY MOTHER'S DAUGHTER COLLECTION BY BARI J.

HANA

garden bag

MY MOTHER'S DAUGHTER EDITION



FREE PATTERN

XXXXXXXXXXXXXXXXXXXXXXXXXXXX





garden bag

MY MOTHER'S DAUGHTER EDITION

PROJECT DESIGNED BY AGFstudio

My Mother's Daughter

FABRICS DESIGNED BY BARI J.



Fabric A

MMD-57300
HOLLYHOCKS IN BLOOM
PERIWINKLE



Fabric B

MMD-57303
PRESSED POSIES LAVANDIN



Fabric C

MMD-47306
RIPPLES TOPIARY



Fabric D

PE-441
BLUEBERRY ZEST



© 2026 Courtesy of Art Gallery Quilts LLC. All Rights Reserved.

Free patterns are provided for personal consumer use and retailer promotion.

Kits featuring this pattern must contain 100% Art Gallery Fabrics. Retailers using this pattern for marketing or classes must explicitly credit Art Gallery Fabrics. Non-AGF fabric substitutions are prohibited.

HANA

garden bag

MY MOTHER'S DAUGHTER EDITION

FINISHED SIZE | 12" x 18" x 5"

FABRIC REQUIREMENTS

Fabric A	MMD-57300	½ yd.
Fabric B	MMD-57303	½ yd.
Fabric C	MMD-47306	½ yd.
Fabric D	PE-441	½ yd.

Additional Materials
Fusible Interfacing 2¾ yds

CUTTING DIRECTIONS

*¼" seam allowances are included.
WOF means width of fabric.*

Fabric A

- Cut 1 (one) 12½" x WOF strip.
 - Subcut 2 (two) 12½" x 18½" rectangles.
- Cut 1 (one) 5½" x WOF strip.
 - Subcut 2 (two) 5½" x 12½" strips.

Fabric B

(see diagram for cutting layout)

- Cut 2 (two) 12½" x WOF strips.
 - Subcut 1 (one) 12½" x 31½" strip.
 - Subcut 1 (one) 12½" x 18½" rectangle.
 - Subcut 2 (two) 5½" x 12½" strips.

Fabric C

- Cut 2 (two) 12½" x WOF strips.
 - Subcut 3 (three) 12½" x 18½" rectangles.
 - Subcut 1 (one) 5½" x 18½" rectangle.
- Cut 1 (one) 5½" x WOF strip.
 - Subcut 2 (two) 5½" x 12½" strips.

Fabric D

- Cut 2 (two) 5½" x WOF strips.
 - Subcut 1 (one) 5½" x 18½" strip.
 - Subcut 2 (two) 5½" x 13½" strips.

Interfacing

(These instructions assume a 20" width)

- Cut 2 (two) 12½" x WOF strips.
 - Subcut 2 (two) 12½" x 18½" rectangles.
- Cut 1 (one) 31½" x WOF strip.
 - Subcut 1 (one) 31½" x 12½" strip.
- Cut 6 (six) 5½" x WOF strips.
 - Subcut 2 (two) 5½" x 13½" strips.
 - Subcut 4 (four) 5½" x 12½" strips.

Fabric B Cutting Layout:




DIAGRAM 1


CONSTRUCTION

Sew all rights sides together with ¼" seam allowance.

- Fuse the Interfacing to all of the pieces cut from Fabrics **A** and **B** and to both 5½" x 13½" strips from Fabric **D**.

Exterior Back Pocket Construction:

- Fold 1 (one) 12½" x 18½" rectangle from Fabric **B** in half lengthwise and press.



Fabric B

DIAGRAM 2

- Place the folded piece on top of 1 (one) 12½" x 18½" rectangle from Fabric **A** aligning the raw edges with the bottom of the Fabric **A** rectangle, as shown in the diagram below.
- Stitch 2 (two) vertical lines across the folded pocket piece 6¼" away from each side, backstitching at the start and finish of each seam.
- Baste the pocket in place ⅛" away from the raw edges along the sides and bottom.





DIAGRAM 3

Exterior Front Pocket Construction:

- Fold 1 (one) 12½" x 31½" rectangle from Fabric **B** in half lengthwise and press.



Fabric B

DIAGRAM 4

- Mark the folded piece 2¾" in from both sides, then 6" in from these marks, then 4" from the next marks, at the top and bottom, as shown in the diagram below.
- Draw a line across the folded piece in the middle of both 4" sections.




DIAGRAM 5

- Fold the marks on either side of the 4" section to meet in the middle, over the marked line and press, as shown in the diagram below.
- Fold the outermost marks to ¼" away from the edge and press, as shown below.



DIAGRAM 6

- Edgestitch along the edge of each fold to create the shape of the pockets.
- Pin the folds in place to make the next step easier.



DIAGRAM 7

- Align the raw edges of the folded piece with the bottom of 1 (one) $12\frac{1}{2}$ " x $18\frac{1}{2}$ " rectangle from Fabric A and pin into place.
- Sew along the marked lines in the 4" sections to attach the pockets, unfolding as needed. Backstitch at the start and finish for security.



DIAGRAM 8

- Repin any folds as necessary.
- Sew the pocket piece in place along the bottom and sides, backstitch at the start and finish.



DIAGRAM 9

Exterior Side Pockets Construction:

- Fold 1 (one) $12\frac{1}{2}$ " x $5\frac{1}{2}$ " rectangle from Fabric B in half along the short side and press.



Fabric B

DIAGRAM 10

- Place the folded piece on top of 1 (one) $5\frac{1}{2}$ " x $12\frac{1}{2}$ " strips from Fabric A, aligning the raw edges with the bottom and sides.
- Top stitch along the bottom and sides, backstitching at the start and finish.
- Repeat steps to create a total of 2 (two) Exterior Side Pockets.




x2

DIAGRAM 11

Interior Pocket Construction:

- Fold 1 (one) $12\frac{1}{2}$ " x $18\frac{1}{2}$ " rectangle from Fabric **C** in half lengthwise and press.



Fabric C

DIAGRAM 12

- Place the folded piece on top of 1 (one) $12\frac{1}{2}$ " x $18\frac{1}{2}$ " rectangle from Fabric **C** aligning the raw edges of the folded piece with the bottom of the new Fabric **C** rectangle, as shown in the diagram below.
- Stitch 2 (two) vertical lines across the folded pocket piece $6\frac{1}{4}$ " away from each side, backstitching at the start and finish of each seam.
- Baste the pocket in place $\frac{1}{8}$ " away from the raw edges along the sides and bottom.




DIAGRAM 13

Exterior Assembly:

- Sew together 1 (one) $5\frac{1}{2}$ " x $18\frac{1}{2}$ " strip from Fabric **D** to the bottom of both Exterior Side Pockets, as shown in the diagram below. Press seams.




DIAGRAM 14

- Sew the pieced strip to the Exterior Front Pocket, aligning the seams of the pieced side strip with the bottom corners of the Exterior Front Pocket, as shown in the diagram below, backstitching at the start and finish of the seam. Press seams.




DIAGRAM 15

- Repeat step, this time sewing the Exterior Back Pocket to the opposite side of the side strip.




DIAGRAM 16

Bag Assembly:

- Insert the Interior, wrong side out, into the Exterior, right side out.




DIAGRAM 23

- On each long side, insert 1 (one) of the handles between the Interior and Exterior layers, leaving a 3½" space in the center and pin into place. Pin the rest of the top edge of the bag into place.




DIAGRAM 24

- Top stitch around the top edge of the bag, backstitching at the start and finish of the seam.




DIAGRAM 25

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

Congratulations & enjoy

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX



artgalleryfabrics.com

NOTE: While all possible care has been taken to ensure the accuracy of this pattern, We are not responsible for printing errors or the way in which individual work varies.

Please read instructions carefully before starting the construction of this quilt. If desired, wash and iron your fabrics before starting to cut.

- All Art Gallery Fabrics® (AGF) free quilt patterns are copyright-protected and created exclusively to showcase and support our fabric collections.
- For Personal Use (Consumers): Our free patterns are available for your personal sewing enjoyment! You are welcome to create finished projects for yourself, as gifts, or for small-scale charitable giving.
- For Promotional Use & Kitting (Quilt Shops & Retailers): Shops are encouraged to use our free patterns to inspire their communities, subject to the following guidelines:
- Exclusive Fabric Kitting: Quilt kits created using AGF free patterns must contain Art Gallery Fabrics. Combining or substituting with non-AGF fabric brands is strictly prohibited.
- Proper Attribution: Any shop utilizing AGF free patterns for promotional displays, sample quilts, workshops, social media, or marketing materials must always give full credit to Art Gallery Fabrics® and the featured pattern designer.