

X
X
X
X
X
X
X
X
X
X
X
X

x x x x x x x x x x x x x x x x x x





piecing PLAIDS

CLUTCH - FAIRVIEW AVENUE EDITION

DESIGNED BY AGFstudio

FAIRVIEW
Avenue

FABRICS DESIGNED BY BARI J



Fabric A
FE-526
MOCHA




Fabric B
FWA-21706
WISTFUL GARDEN HAZEL



Fabric C
PE-460
SIENNA BRICK



Fabric A
FWA-31707
INNOCENT BLOOMS REVERIE




Fabric B
FWA-31703
NOSTALGIA BLANKET FRESH



Fabric C
PE-415
PARISIAN BLUE




Fabric A
FWA-31701
ORCHARD HAVEN PEONY



Fabric B
LEG-32105
LEGACY STRIPE ROSE



Fabric C
PE-411
QUARTZ PINK



Fabric A
LEG-32107
LEGACY STRIPE ROUGE



Fabric B
FWA-21701
ORCHARD HAVEN BERRY



Fabric C
PE-490
RUBY



piecing PLAIDS

CLUTCH - FAIRVIEW AVENUE EDITION

FINISHED SIZE | 6" X 13"

*A fat eighth width of fabric (WOF) is typically 11"-wide.
A fat quarter WOF is typically 22"-wide
Cutting instructions are based on 11"-and 22"-wide fabrics.*

FABRIC REQUIREMENTS

Pouch 1

Fabric A	FE-526	F8.
Fabric B	FWA-21706	F8.
Fabric C	PE-460	FQ.

Pouch 2

Fabric A	FWA-31707	F8.
Fabric B	FWA-31703	F8.
Fabric C	PE-415	FQ.

Pouch 3

Fabric A	FWA-31701	F8.
Fabric B	LEG-32105	F8.
Fabric C	PE-411	FQ.

Pouch 4

Fabric A	LEG-32107	F8.
Fabric B	FWA-21701	F8.
Fabric C	PE-490	FQ.

EXTRA MATERIALS

1 (one) coordinating 13" zipper per pouch.

Batting:

-2 (two) 8" x 15" rectangles per pouch.

CUTTING DIRECTIONS

*¼" seam allowances are included.
WOF means width of fabric.*

Fabric A

- Cut 2 (two) 6⅞" x WOF strips. (This cutting instruction is based on an 11" WOF)

-Sub-cut: 2 (two) 6⅞" squares.

Fabric B

- Cut 2 (two) 6⅞" x WOF strips. (This cutting instruction is based on an 11" WOF)

-Sub-cut: 2 (two) 6⅞" squares.

Fabric C

- Cut 2 (two) 6½" x WOF strips. (This cutting instruction is based on a 22" WOF)

-Sub-cut: 2 (two) 6½" x 1½" rectangles.

-Sub-cut 2 (two) 6½" x 13½" rectangles.

CONSTRUCTION

Sew all rights sides together with ¼"seam allowance.

- Start by placing 1 (one) 6⅞" square from Fabrics **A** and **B** right sides together.




DIAGRAM 1

- Mark a diagonal line on the wrong side of the top fabric square.



— Pen
 ■ Sew
 ■ Cut

DIAGRAM 2

- Sew a scant $\frac{1}{4}$ " seam on each side of the diagonal line.
- Press the sewn square to set the seams and cut through the drawn line using a rotary cutter.




DIAGRAM 3

- Open each Half Square Triangle (HST) outward and lightly press. Be careful to lift and press with your iron and not back and forth to prevent stretching. Your seams should be pressed towards the darker color.
- Trim each HST unit to $6\frac{1}{2}$ " squares.
- Make 4 (four) HST units.



DIAGRAM 4

- Using the diagram below as a guide, sew 1 (one) HST unit to each side of 1 (one) $1\frac{1}{2}$ " x $6\frac{1}{2}$ " Fabric C rectangle. Press.




DIAGRAM 5

- Quilt as desired with 1 (one) batting rectangle.
- Trim layers to $6\frac{1}{2}$ " x $13\frac{1}{2}$ ".
- Repeat steps with remaining HST units and $1\frac{1}{2}$ " x $6\frac{1}{2}$ " Fabric C rectangle.



DIAGRAM 6

- Place 1 (one) $6\frac{1}{2}$ " x $13\frac{1}{2}$ " rectangle from Fabric C (lining) right side up on your work surface.
- Center the zipper, right side up, on the top edge of the fabric. (Optional: baste in place).
- Place your quilted fabric rectangle on top of the lining and zipper, right side down. Pin (or clip) in place.



DIAGRAM 7

- Using a zipper foot, stitch along the edge of the zipper.



DIAGRAM 8

- Fold back and press the main fabric and the lining to finish the edges along the zipper.



DIAGRAM 9

- Open the zipper and repeat the previous steps for the other side, using the remaining quilted rectangle and Fabric C rectangle.



DIAGRAM 10

- Separate the quilted pieces from the lining pieces.
- Align the quilted pieces together and the lining pieces together (should seem like 2 "flaps" on each side of the zipper).
- Pin in place to form one large rectangle, with quilted pieces together and lining pieces together.
- Sew around the edge leaving a 4"-5" opening in the bottom of the lining (for turning).



DIAGRAM 11

- Turn pouch right side out and sew the opening in the lining closed.




DIAGRAM 12



artgalleryfabrics.com

NOTE: While all possible care has been taken to ensure the accuracy of this pattern, We are not responsible for printing errors or the way in which individual work varies.

Please read instructions carefully before starting the construction of this quilt. If desired, wash and iron your fabrics before starting to cut.

© 2020 Courtesy of Art Gallery Quilts LLC. All Rights Reserved.