


Peg Leg- Add Ons

By:Patterns for Pirates



Before you start:

- Read instructions before beginning.
 - I suggest preparing your fabric exactly how you will care for the finished garment- meaning if you're going to machine wash and dry, do it now! It will prevent any shrinkage, color bleeding, and get any nasty chemicals off!
 - When printing the pattern, make sure scale is set to 'none' or 'actual size.' Take your time matching and taping. Carefully measure the 1"xl" grey square on page A1 to make sure it printed correctly (even if it is off by 1/8" it will change your fit dramatically!)
 - These are NO TRIM pages... just line up edge of paper to dark grey guide line. Here is a video in the [P4P FB group](#) if you need more help: [Video Link](#)
 - You are free to sell products made from the pattern. I would LOVE for you to cite that it is a 'Patterns for Pirates' pattern in your listing!
 - As always, back stitch when starting and ending a seam. Serge or zig zag finish all seams.
 - All seam allowances are 1/2" unless otherwise stated.
- *Need more help? Here is a blog post for beginners with more info: [Blog Link](#)
We also have a blog post all about Peg Legs here: [Peg-Leg 101](#)




Supply List:

- You MUST own the [Peg Legs](#) by Patterns for Pirates original pattern.
- Fabric: 4 way stretch knit fabric with at least 50% stretch horizontally and vertically with good recovery. Look for spandex or lycra in the content. For the Higher Rise and Contour Waistband you will need at least 75% horizontal stretch.
- Basic Sewing Supplies: Scissors, sewing machine, thread, iron, and pins.
- Optional: hem tape, 1/4" elastic.

Fabric Suggestions & Supplies
[Video Link](#)

Printing Guide: Pattern Pages 20-43

PRINTING GUIDE
CLICK HERE



Size chart: All in inches. Hip-widest part, usually across booty, high hip is at hip bones, and waist at natural waistline, smallest part.

*Need help measuring? [Here is our blog post about that!](#)

	XXS	XS	S	M	L	XL	XXL	Plus IX	Plus 2X	Plus 3X	Plus 4X	Plus 5X
Waist	23-24	25-26	27-28	29-30	31-33	34-36	37-39	40-42	43-46	47-50	51-53	54-57
High Hip	29-30	30-31	32-33	34-36	37-39	40-43	44-46	47-50	51-54	55-57	58-60	61-63
Hip	34-35	35-36	37-38	39-40	41-43	44-46	47-49	50-52	53-55	56-58	59-61	62-64
Thigh	20.5	21	22	23	24.5	27	29	31	32.5	34	36	37.5
Calf	12	12.5	13	13.5	14	15	16	17	18	18.75	19.5	20.25
Waist to Hip	8.25											

Size chart: All in centimeters.

	XXS	XS	S	M	L	XL	XXL	Plus IX	Plus 2X	Plus 3X	Plus 4X	Plus 5X
Waist	58.4-60.9	63.5-66	68.5-71.1	73.6-76.2	78.7-83.8	86.3-91.4	93.9-99	101.6-106.6	109.2-116.8	119.3-127	129.5-134.6	137.1-144.7
High Hip	73.7-76.2	73.7-78.7	81.3-83.8	86.4-91.4	94-99.1	101.6-109.2	111.8-116.8	119.4-127	129.5-137.2	139.7-144.8	147.3-152.4	154.9-160
Hip	86.3-88.9	88.9-91.4	93.9-96.5	99-101.5	101.1-109.2	111.7-116.8	119.3-124.4	127-132	134.6-139.7	142.2-147.3	149.8-154.9	157.4-162.5
Thigh	52.1	53.3	55.9	58.4	62.2	68.6	73.7	78.7	82.6	86.4	91.4	95.3
Calf	30.5	31.8	33.0	34.3	35.6	38.1	40.6	43.2	45.7	47.6	49.5	51.4
Waist to Hip	21											

Finished Measurements: All in inches, rounded to the nearest .25". Hips: at widest point across full hip. Inseam lengths are from crotch seam to hem.

	XXS	XS	S	M	L	XL	XXL	Plus IX	Plus 2X	Plus 3X	Plus 4X	Plus 5X
	Inseam Lengths:											
	Shorties: 2"			Bike: 10"			Capri: 21"			Ankle: 28"		
Waist	20	20.5	21.75	23	25	26.75	28.75	30.5	32.5	35.25	36	38
Hip	22.5	23.35	24.75	26.5	28.75	31.25	33.5	36	38.5	40.75	43.5	46

Finished Measurements: All in centimeters, rounded to the nearest .1". Hips: at widest point across full hip. Inseam lengths are from crotch seam to hem.

	XXS	XS	S	M	L	XL	XXL	Plus IX	Plus 2X	Plus 3X	Plus 4X	Plus 5X
	Inseam Lengths:											
	Shorties: 4.5			Bike: 25.4			Capri: 53.3			Ankle: 71.1		
Waist	50.8	52.1	55.2	58.4	63.5	67.9	73	77.5	82.6	89.5	91.4	96.5
Hip	57.15	59.3	62.9	67.3	73	79.4	85.1	91.4	97.8	103.5	110.5	116.8

Fabric Requirements: All in yards. Based on 60" wide fabric, does not account for shrinkage, cut off-grain, patterned fabric (takes more!), etc.

	XXS	XS	S	M	L	XL	XXL	Plus IX	Plus 2X	Plus 3X	Plus 4X	Plus 5X
Waistband	1/4											
Shorties	1/3						3/8				1	
Bike	1/2					5/8					1 1/4	
Capri	7/8										1 3/8	
Ankle	1		1 1/8								1 1/4	
High Rise Option	add 1/8											

Fabric Requirements: All in meters. Based on 150cm wide fabric, does not account for shrinkage, cut off-grain, patterned fabric (takes more!), etc.

	XXS	XS	S	M	L	XL	XXL	Plus IX	Plus 2X	Plus 3X	Plus 4X	Plus 5X	
Waistband	.25												
Shorties	.3					.4					.9		
Bike	.5							.6			.9		
Capri	.8								.9		1		
Ankle	.9		1									1.2	
High Rise Option	add .2												

Cut Chart:

(Length x width) The stretch should be going across the width. All in inches, rounded to the nearest .25".

	XXS	XS	S	M	L	XL	XXL	Plus IX	Plus 2X	Plus 3X	Plus 4X	Plus 5X
Waist-band	7 x 22.5	7 x 23	7 x 24.5	7 x 25.75	7 x 27.75	7 x 29.75	7 x 31.75	7 x 33.75	7 x 35.75	7 x 37.75	7 x 39.75	7 x 41.5
High waist-band	7 x 21	7 x 21.5	7 x 22.75	7 x 24	7 x 26	7 x 27.75	7 x 29.75	7 x 31.5	7 x 33.5	7 x 35.35	7 x 37	7 x 39
Pocket for Waistband	(Cut 2) 3.5 x 4											
Waistband with Pocket	(Cut 2) 4 x waistband width above											
Side Panel Pocket Band	(Cut 2) 2.5 x 4											

Cut Chart:

(Length x width) The stretch should be going across the width. All in centimeters, rounded to the nearest .1".

	XXS	XS	S	M	L	XL	XXL	Plus IX	Plus 2X	Plus 3X	Plus 4X	Plus 5X
Waist-band	17.8x 57.1	17.8x 58.2	17.8x 62.2	17.8x 65.5	17.8x 70.6	17.8x 75.6	17.8x 80.6	17.8x 86.7	17.8x 90.7	17.8x 95.7	17.8x 100.8	17.8x 105.8
High waist-band	17.8x 53.3	17.8x 54.9	17.8x 58	17.8x 61.2	17.8x 66	17.8x 70.6	17.8x 75.4	17.8x 80.1	17.8x 84.8	17.8x 89.5	17.8x 94.7	17.8x 99
Pocket for Waistband	(Cut 2) 8.9 x 10.2											
Waistband with Pocket	(Cut 2) 10.2 x normal width above											
Side Panel Pocket Band	(Cut 2) 6.4 x 10.2											

** This pattern is a supplement to the Peg Legs. You must own and follow the directions in the original pattern for basic construction. You will need to know when to "add in" the steps of this pattern to the original pattern's directions.

Check out our Sew-A-Long Blog Posts and Video Links for a complete sew up of a few the Peg Legs Add-On Sections.

[Peg Leg SAL - Day 1: Choosing Fabric](#)

[Peg Leg SAL - Day 3: Cutting Fabric](#)

[Peg Leg SAL - Day 4: Sewing Add Ons
\(POCKET, COLOR BLOCK, SIDE STRIP ETC\)](#)

[Peg Leg SAL - Day 5: Sewing Inseams &
Attaching Legs](#)

[Peg Leg SAL - Day 6: Waistband](#)

[Cutting Fabric Video Link](#)

[Sewing Add Ons Video Link](#)

[Sewing Inseams Video Link](#)

[Sewing Waistband Video Link](#)

Click below to jump to option:

[Side Panel
Patch
Pocket](#)

[Color Block
Side Panel](#)

[Side Panel](#)

[Gusset](#)

[Waistband
Pocket](#)


[Contoured
Waistband](#)

Side Panel Patch Pocket:

Press top band in half lengthwise.

With right sides together, align raw edges of top band and top edge of patch pocket and pin/clip in place. Top band will need to slightly stretch to fit top edge of pocket. Stitch, stretching only the top band and press band up and seam down.

Optional: Top-stitch.



Press bottom edge of patch pocket 1/2" to wrong side.

*Note: Skip this step if adding a side pocket to the color block side panel.

Place pocket on side panel using pocket placement on pattern piece. Both side panel and pocket need to be face up. Pin in place.

Stitch along bottom edge of pocket. (for side panel option only)

Baste (longest straight stitch to hold in place temporarily) along sides of pockets.

Pictured: side panel top color block with side panel pocket. You will now treat this as your top color block piece.



Color Block Side Panel:

***Reminder: All knits should be sewn with a serger, stretch stitch or zigzag to allow the knit to stretch.




With right sides together, place top and middle pieces together aligning the bottom edge of the top piece to the top edge of the middle piece. Stitch and press seam.

Optional: Top-stitch.

Repeat with middle and bottom pieces. Align the bottom edge of the middle piece to top edge of the bottom piece. Stitch and press seam.

Optional: Top-stitch.

Repeat with opposite leg.



Side Panel Construction:

With right sides together, place side panel and front piece together aligning notch on straight edges.


Stitch and press seam.

Optional: Top-stitch.

Repeat with back piece and side panel, aligning straight seams and notches with right sides together.

Stitch and press seam.

Optional: Top-stitch.



Gusset:

You can line your gusset or leave it one layer, whatever your preference. Pictures will show lined (I thought it demonstrated back/front nicely lined.)

With wrong sides together baste main and lining gusset pieces together around entire edge.

With right sides together, sew main Peg Leg pieces up along the back and front crotch curves.

Flip main Peg pieces with right sides out and back facing up.



With right sides together align notch to back center seam.



Pin gusset piece at center and without stretching along the curve to the points on the sides. Do not stretch either main pieces or gusset piece. Baste in place.



Mark center of unsewn side of gusset piece.



With right sides together align center mark of gusset piece to front center seam line.

Without stretching the gusset piece or main pieces continue pinning gusset down inseam.

Baste in place.

After checking gusset is placed in smoothly, make your final stitches along inseam and gusset.

*If you're using a serger it might be easier to trim your seam allowance down to 1/4" around gusset corners before. I prefer to go from bottom hem, around top of gusset, then start at opposite bottom hem and go around bottom of gusset.

Press gusset seam allowances and top-stitch around gusset.



Waistband Pocket:

You can attach the pocket to both normal waistband (shown in leopard print fabric) or to the contoured high waist option (shown in black and blue fabric).

First, decide where you would like your pocket along the top of your waistband. Personally, I prefer mine on the side of my back. So both of mine are placed there in the photos. You can place it anywhere along the top edge as long as you remember to steer clear of any seam allowance.

With right sides together, place pocket piece onto both waistband pieces, creating MIRROR IMAGES (one will be main piece and the other the lining).

Stitch along top edge of pocket piece, attaching pocket piece to waistband piece.



Flip pocket pieces and seam allowances up and press.
Optional: Top-stitch.

Normal Waistband:



With right sides together, align top and pocket edges and pin/clip in place.

Stitch along top and pocket edges.

*Note- if you would like to use a serger I highly recommend sewing the corners where the pocket piece attaches to the waistband on your normal sewing machine with a stretch stitch. It will give you a much cleaner corner.

Press seam allowance. Optional: Top-stitch along top edge, not closing pocket opening.


Finish waistband as original Peg Leg tutorial instructs.



Contoured Waistband:

Both with and without pocket:

With right sides together, place front and back waistband pieces together, aligning side seams. Stitch. Repeat with lining front and back pieces.




Flip lining right sides out and slide into main fabric waistband with right sides together. Align top edges. Optional: place a small elastic inside seam as you stitch. Stitch lining and main fabric together along top edges.



Pictured: with waistband pocket.

Flip right sides out and press seam.
Optional: Top-stitch. If you did not add elastic into the seam you can also add clear elastic along the top of the lining as you topstitch.
If you added the pocket, do not top-stitch the pocket opening closed!



All done! :)

Don't forget to share on our Facebook page!

www.facebook.com/patternsforpirates

And Facebook group!

www.facebook.com/groups/Patternsforpiratesgroup

You can also leave a review on

www.patternsforpirates.com

You can also tag us on [Instagram @patternsforpirates](https://www.instagram.com/patternsforpirates)


Have you seen [Maternity Add On](#) and [Peg Legs: Colorblock Pack](#) yet?

Printing Guide: Pattern Pages

US Letter	XXS	XS	S	M	L	XL	XXL	Plus IX	Plus 2X	Plus 3X	Plus 4X	Plus 5X
Front and Back Legs	20, 22-24, 26-32, 34-35, 38-39			20, 22-24, 26-35, 38-39		20, 22-35, 38-39					20-35, 38-39	
Side Panel Option	Prints with Front and Back Legs											
Color Block Side Panel	33-34, 37-41											
Side Panel Patch Pocket	21											
Gusset	38											
Contoured Waistband	36, 40, 42-43				36-43							


Sample Cutting Layout

Cut 2 Mirror Image, Front & Back
SELVAGE



FOLD

SELVAGE



FOLD

Cut 2 Mirror Image, Side Panel

OR


Cut 2 Mirror Image, Side Panel Color Block pieces

SELVAGE



FOLD

SELVAGE



FOLD

SELVAGE




FOLD

A4	XXS	XS	S	M	L	XL	XXL	Plus IX	Plus 2X	Plus 3X	Plus 4X	Plus 5X
Front and Back Legs	20, 22-24, 26-32, 34-35			20, 22-24, 26-35		20, 22-35					20-35	
Side Panel Option	Prints with Front and Back Legs											
Color Block Side Panel	29-30, 33-34, 37-42											
Side Panel Patch Pocket	21											
Gusset	38											
Contoured Waistband	36, 40, 42-43				36-38, 40-43							

Sample Cutting Layout

Cut 2 Mirror Image, Front & Back
SELVAGE



FOLD

SELVAGE



FOLD

Cut 2 Mirror Image, Side Panel

OR


Cut 2 Mirror Image, Side Panel Color
Block pieces

SELVAGE




FOLD

SELVAGE



FOLD

SELVAGE



FOLD

A1


A2


Ankle

capri

B1

B2





A3

A4

High Rise

High Rise

High Rise

High Rise

High Rise

High Rise

High Rise

Low Rise

Low Rise

Low Rise

Low Rise

Low Rise

Low Rise

Low Rise

Low Rise

Low Rise

Low Rise

Low Rise

Low Rise

High Rise

High Rise

High Rise

High Rise

High Rise

High Rise

High Rise

High Rise

High Rise

High Rise

High Rise

High Rise

High Rise

High Rise

High Rise

High Rise

High Rise

High Rise

High Rise

High Rise

High Rise

High Rise


High Rise


High Rise

B3

R4

8/11/12





B3

R4



PDF Sewing Patterns

Peg Legs- Add

Back

Cut 2 Mirror Images




1/2" Seam Allowance

Size/Line Key

XXS	
XS	
S	
M	
L	
XL	
XXL	
Plus IX	
Plus 2X	
Plus 3X	
Plus 4X	
Plus 5X	

C3

C4



DI

CI

D2


C2

Shorties



1/2" Seam Allowance


Front
Cut 2 Mirror Image


Peg Legs - Add On



Grainline









C4

Bike

D4

C5

Bike


D5

D1

D2

E1

E2




D3

D4

capri!

E3

E4



D4

Capri

Ankle

D5

Capri

Ankle

E4

E5



PDF Sewing Patterns

Peg Legs- Add Ons
Contour Waistband- Front
Attach to Mid Rise Cutline
Cut 1 on Fold in Main

FOLD

1/2" Seam Allowance


Grainline




PDF Sewing Patterns

Peg Legs- Add Ons

E2



F2



E3






F3



E3


E4

Peg Legs Add Ons
Middle Gusset
Block Stretch
cut 2 Mirror Image



F3

F4



F1



PDF Sewing Patterns

Peg Legs- Add Ons

Countour Waistband- Back

Attach to Mid Rise Cutline

Cut 1 on Fold in Main

FOLD


1/2" Seam Allowance

Grainline

F2

G1

G2



F3

Size/Line Key

XXS	
XS	
S	
M	
L	
XL	
XXL	
Plus 1X	
Plus 2X	
Plus 3X	
Plus 4X	
Plus 5X	



G3

G2

F3

F4



PDF Sewing Patterns

Peg Legs - Add Ons

countour Waistband - Front Lining
Attach to Mid Rise Cutline

Cut 1 on Fold in Lining

FOLD

Grainline

1/2" Seam Allowance

G3

G4

F5

G5



PDF Sewing Patterns

Peg Legs - Add Ons

Countour Waistband - Back Lining

Attach to Mid Rise Culine

Cut 1 on Fold in lining

FOLD

1/2" Seam Allowance

Grainline

F4

G4