


Set Sail Hat

By: Patterns for Pirates



Before you start:

- Read instructions before beginning.
- I suggest preparing your fabric exactly how you will care for the finished garment- meaning if you're going to machine wash and dry, do it now! It will prevent any shrinkage, color bleeding, and get any nasty chemicals off!
- When printing pattern, make sure scale is set to 'none' or 'actual size'. Take your time matching and taping. Carefully measure the 2"x2" or 4cmx4cm grey square on page A1 to make sure it printed correctly (even if it is off by 1/8" it will change your fit dramatically!)
- These are NO TRIM pages... just line up edge of paper to dark grey guide line:
[Here is a video for more help.](#) (You must be a member of the [P4P FB group](#)).
- You are free to sell products made from the pattern. I would LOVE for you to cite that it was a 'Patterns for Pirates' pattern in your listing!
- As always, back stitch when starting and ending a seam.



ALL SEAM ALLOWANCES ARE 1/4" UNLESS OTHERWISE STATED.

Supply List:


- Fabric: Non-drape fabrics such as quilting cottons, poplin, etc.
- Iron-On Stabilizer: Firm stabilizers such as Pellon 809 or 808 recommended.
- Basic Sewing Supplies: Scissors, sewing machine, thread, iron, and pins.
- Optional: Pompom trim, htv, ribbons, etc. for decoration.

Printing Guide:


Pattern pages: 11-14

Set Sail Hat


PDF Sewing Pattern By Patterns for Pirates



2" Brim



7" Brim



4" Brim

Head Circumferences 18"-25"

Each size has roughly 1/2" ease.

Size chart: 18" - 25" head circumference.

It is highly recommended to sew up a single cap (two side pieces and middle cap piece) to check for fit preference. If you are in-between sizes or it feels a little snug, it's best to size up.


Measure by wrapping the tape around the fullest point of your head, keeping it near the middle of your forehead and just above your ears.




Fabric Requirements: All in yards. Based on 44" wide fabric, does not account for shrinkage, cut off-grain, patterned fabric (takes more!), etc.

Main Fabric	7/8 yard
Lining Fabric	7/8 yard
Iron-On Stabilizer	3/4 yard

How to Fold Fabric to Cut Circle Brim:



How to Cut a Circle Brim with Full Pattern Piece:





Preparing Your Pieces:

When cutting the side cap pieces, it's helpful to cut an outward notch to mark the top curve.

Trim 1/4" from the top and bottom curved edges of the stabilizer pieces and discard extra. (This will allow for easier sewing when attaching the brim to the cap and easier turning of seams.)

Following the instructions provided with your stabilizer, center the stabilizer on top of your brim piece and iron.

**Repeat with lining brim piece.



Creating the Cap:


Using your main fabric, pin and mark the center points of top edge of one of the side cap pieces and a long edge of the middle cap piece.

Align both middle points and place fabrics right sides together.

Ease and pin the curved edges together. Sew along your pinned edge.


Repeat with other side cap piece.

**Repeat same steps to create a second cap with the lining fabric.



To help smooth the cap curves, press the seam allowance open and top stitch a scant 1/8" on either side of the seam.

**Repeat on other cap seam.



Attaching the Brim:


Matching seams, fold your cap piece in half, with long edges together, and mark your front and back points.



Fold brim piece in half and mark front and back points on both inner and outer circle edges.



Open brim piece and lay face down.
Align your cap piece within the middle
opening, matching up front and back
points.




With right sides together, ease and pin
the curved edges together.



Sew brim to cap.

**Repeat with lining fabric.




Finishing Your Hat:

Place main fabric right side up.

Place lining fabric on top, right sides together, while aligning front and back pin markings on both pieces.

Pin and stitch around outer edge, leaving a 4-5" opening for turning.




Turn hat right side out through opening.

Press and carefully pin opening into seam allowance.

Edge stitch along entire outer brim of hat, enclosing open edge completely.

If desired, top stitch additional rings around the brim for added stability.



All done! :)

Don't forget to share on our Facebook page!

www.facebook.com/patternsforpirates

And Facebook group!


<https://www.facebook.com/groups/patternsforpiratesgroup>

A1

A2

2"x2"

4cm
x4cm




Set Sail Hat Side Cap

Cut 2 on Fold Main and Lining Fabric

Grainline

Fold




B1

B2

Fold

Grainline

Cut 1 on Double




B2

Set Sail Hat

Sail Hat
Brim
 Cut 1 on Double Fold Main and Lining Fabric
 Cut 2 Interfacing


 PDF Sewing Patterns

2" Cut Line



Fold

4" cut Line.

7" cut Line