


DIY2417 Kajsa Patch Bag # kajsapatchbag

Seam allowance is included on all patterns:
All seams 0,3 cm




You need to cut the following parts

Part 1	Front upper	x 4
Part 2	Front lower	x 4
Part 3	Side	x 4
Part 4	Bottom	x 4


You need the following fabric and accessories

Fabric: w/130 cm 85 cm

Accessories:
4 x 30 cm Webbing ribbon 38 mm




Symbols you may find on your patterns



Grain line



Fold line



Notch




Gathering



Interlining




Cut line



Placement of button and buttonhole


10 CM
**Self
made®**



▲
Unsure how to print?
See this guide


CONTROL SQUARE:
Print this page, to check the square measurements:
If the measurements do not match, please adjust your printer settings.

CONTROL PAGE FIT:
In print preview check page margin.
Margin have to be equal on all 4 sides of each page.




10 CM


Glue or tape your patterns together as shown in the diagram



2

3





DIY2417


PART 3

SIDE

✂ x 4

INCL. SEAM ALLOWANCE


4



5

6


DIY2417
PART 1
FRONT UPPER
✂ x 4
INCL. SEAM ALLOWANCE



DIY2417
PART 4
BOTTOM

✂ x 4

INCL. SEAM ALLOWANCE



n Selfmade.com

9

DIY2417
PART 2
FRONT LOWER

✂ x 4

INCL. SEAM ALLOWANCE

