


SIZE KEY

XL	
L	
M/L	
M	
S/M	
S	
XS	




A2



A3

A3



A3

A4

ine

A2

B2

Hem
2.5

Tiling layout

	A2	A3	A4
	B2	B3	B4
C1	C2	C3	C4
D1	D2	D3	D4
E1	E2	E3	E4

B2

A3

unfetteredpatterns.wordpress.com

Model #UP1041

Sizes XS-XL

Sleeve

Cut x2 fabric

B2

B3

allowance
cm (1")


B3

The image is a technical drawing of a mechanical part, oriented vertically. It is divided into four quadrants by a horizontal line. The top-left quadrant is labeled 'A4' and 'B3'. The top-right quadrant is labeled 'A4'. The bottom-left quadrant is labeled 'B3'. The bottom-right quadrant is labeled 'B4'. The drawing shows a top view of a rectangular part with a central slot and a circular feature. The side view shows the profile of the part, including a curved section. The drawing is oriented vertically on the page.



This technical drawing illustrates a road cross-section with a 10% slope, a 10% ditch, and a 10% embankment. The drawing is divided into four quadrants by a horizontal line. The top-left quadrant is labeled 'Grain' and 'A4'. The top-right quadrant is labeled 'B3'. The bottom-left quadrant is labeled 'B4'. The bottom-right quadrant is labeled 'B4' and contains a detailed cross-section of the road and ditch. The road has a 10% slope, a 10% ditch, and a 10% embankment. The drawing includes labels for 'Grain', 'A4', 'B3', and 'B4'.

This technical drawing illustrates a road cross-section with a 10% slope, a 10% ditch, and a 10% embankment. The drawing is divided into four quadrants by a horizontal line. The top-left quadrant is labeled 'Grain' and 'A4'. The top-right quadrant is labeled 'B3'. The bottom-left quadrant is labeled 'B4'. The bottom-right quadrant is labeled 'B4' and contains a detailed cross-section of the road and ditch. The road has a 10% slope, a 10% ditch, and a 10% embankment. The drawing includes labels for 'Grain', 'A4', 'B3', and 'B4'.

This technical drawing illustrates a road cross-section with a 10% slope, a 10% ditch, and a 10% embankment. The drawing is divided into four quadrants by a horizontal line. The top-left quadrant is labeled 'Grain' and 'A4'. The top-right quadrant is labeled 'B3'. The bottom-left quadrant is labeled 'B4'. The bottom-right quadrant is labeled 'B4' and contains a detailed cross-section of the road and ditch. The road is shown with a 10% slope, a 10% ditch, and a 10% embankment. The drawing includes various line styles (solid, dashed, dotted) to represent different materials and structures. The labels 'Grain', 'A4', 'B3', and 'B4' are enclosed in boxes. The text 'Grain' is oriented vertically. The text 'A4', 'B3', and 'B4' are oriented horizontally. The text '10%' is used to indicate the slope and ditch dimensions. The drawing is a technical illustration of a road cross-section.



© Unfettered Patterns 2024
This is a free sewing pattern and
resale or distribution is prohibited.



B2

unfettered
— unfettered patterns —

unfetteredpatterns.wordpress.com

Model **#UP1041**

Sizes **XS-XL**

Collar

Cut x1 fabric

Cut this edge on the
fold of the fabric

Center front

C2


C2

C1

B3

C3

C3



B4

Center front



edge
the fabric

unfettered
—unfettered patterns—

C4

C3

C1

enter back



Cut this edge
on the fold of the fabric

D1

unfettered
— unfettered patterns —

unfetteredpatterns.wordpress.com


Model **#UP1041**

Sizes **XS-XL**

Back

Cut x1 fabric

D1



C3

3D

D2

Model **#UP1041**
Sizes **XS-XL**

C4

Front
Cut x1 fabric


Cut this edge
on the fold of the fabric

SIZE KEY

XL	
L	-----
M/L	
M	————
S/M	-. - . - . - . - . - .
S	- - - - -
XS	

D3


Hem allowance
2.5 cm (1")



D1

SIZE KEY

XL	
L	-----
M/L	
M	=====
S/M	-----
S	-----
XS	




E1

Hem allowance
2.5 cm (1")



D2



E1